



**PRECISION<sup>®</sup>**

**PIPES**



**ELECTRICAL PIPING SYSTEMS**

Har Building ki Lifeline  
**PRECISION PIPELINE**

**PRICE LIST**  
26th Oct. 2021

# Round Conduit uPVC Pipes & Fittings



## Precision Round Conduit uPVC Pipes and Fittings

are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact materials which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537-Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

Our Premium range of **Transparent Round conduit uPVC pipes and fittings** are also available in Red, Green, Blue & Yellow colours on request.

## Applications

Channelising concealed and surface wiring.  
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537-PART 3					
Normal Size (mm)	Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Inside Diameter (Min) (mm)		
			Light	Medium	Heavy
16	16	-0.3	13.7	13.0	12.2
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#Special Sizes					
19	19	-0.3	16.5	16.0	15.1
38	38	-0.4	33.7	33.4	32.4

## Features

- Various diameters and grades.
- Light, medium and heavy mechanical stress, to suit various applications and site conditions.
- Easy and fast installation.
- Wide range of component maximises application.
- Durable and impact resistant.
- Fire retardant • Corrosion free.
- Thermal resistant from -5° C to +60° C.
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at 60° C.



Laser engraved pipes



Fire retardant, corrosion free



Easy and quick installation

## Colours



Black, Grey, Ivory & White



Red, Green, Blue & Yellow

## ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310

COLOUR : **BLACK** **GREY** **IVORY** **WHITE** **RED** **GREEN** **BLUE** **YELLOW**

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
<b>LMS ( LIGHT MECHANICAL STRESS ) FRLS≈</b>						
1	PRCS 16L	16	100 x 3m	300	-	29.00
2	PRCS 19L	19	100 x 3m	300	-	37.50
3	PRCS 19LNI	19	40 x 3m	-	120	37.50
4	PRCS 20L	20	100 x 3m	300	-	38.50
5	PRCS 20LNI	20	40 x 3m	-	120	38.50
6	PRCS 25L	25	100 x 3m	300	-	55.50
7	PRCS 25LNI	25	25 x 3m	-	75	55.50
8	PRCS 32L	32	50 x 3m	150	-	74.00
9	PRCS 32LNI	32	10 x 3m	-	30	74.00
10	PRCS 38L	38	30 x 3m	90	-	88.00
11	PRCS 40L	40	25 x 3m	75	-	117.00
12	PRCS 40LNI	40	5 x 3m	-	15	117.00
13	PRCS 50L	50	20 x 3m	60	-	169.00
14	PRCS 50LNI	50	5 x 3m	-	15	169.00
15	PRCS 63L	63	18 x 3m	54	-	246.00
<b>MMS ( MEDIUM MECHANICAL STRESS ) FRLS≈</b>						
16	PRCS 16M	16	100 x 3m	300	-	37.00
17	PRCS 19M	19	100 x 3m	300	-	43.00
18	PRCS 19MNI	19	40 x 3m	-	120	43.00
19	PRCS 20M	20	100 x 3m	300	-	47.50
20	PRCS 20MNI	20	40 x 3m	-	120	47.50
21	PRCS 25M	25	100 x 3m	300	-	64.00
22	PRCS 25MNI	25	25 x 3m	-	75	64.00
23	PRCS 32M	32	50 x 3m	150	-	91.00
24	PRCS 32MNI	32	10 x 3m	-	30	91.00
25	PRCS 38M	38	30 x 3m	90	-	124.00
26	PRCS 40M	40	25 x 3m	75	-	131.00
27	PRCS 40MNI	40	5 x 3m	-	15	131.00
28	PRCS 50M	50	20 x 3m	60	-	199.00
29	PRCS 50MNI	50	5 x 3m	-	15	199.00
<b>HMS ( HEAVY MECHANICAL STRESS ) FRLS≈</b>						
30	PRCS 16H	16	100 x 3m	300	-	43.00
31	PRCS 19H	19	100 x 3m	300	-	55.00
32	PRCS 19HNI	19	40 x 3m	-	120	55.00
33	PRCS 20H	20	100 x 3m	300	-	63.50
34	PRCS 20HNI	20	40 x 3m	-	120	63.50
35	PRCS 25H	25	50 x 3m	150	-	77.50
36	PRCS 25HNI	25	25 x 3m	-	75	77.50
37	PRCS 32H	32	50 x 3m	150	-	118.00
38	PRCS 32HNI	32	10 x 3m	-	30	118.00
39	PRCS 38H	38	30 x 3m	90	-	146.00
40	PRCS 40H	40	25 x 3m	75	-	156.00
41	PRCS 40HNI	40	5 x 3m	-	15	156.00
42	PRCS 50H	50	20 x 3m	60	-	237.00
43	PRCS 50HNI	50	5 x 3m	-	15	237.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
<b>MMS ( *L.H.S.F.T. CONDUIT )</b>						
44	PSFT 20MS	20	100 x 3m	300	-	55.00
45	PSFT 20MSNI	20	40 x 3m	-	120	55.00
46	PSFT 25MS	25	100 x 3m	300	-	76.00
47	PSFT 25MSNI	25	25 x 3m	-	75	76.00
48	PSFT 32MS	32	50 x 3m	150	-	118.00
49	PSFT 32MSNI	32	10 x 3m	-	30	118.00
50	PSFT 40MS	40	25 x 3m	75	-	176.00
51	PSFT 40MSNI	40	5 x 3m	-	15	176.00
52	PSFT 50MS	50	20 x 3m	60	-	243.00
53	PSFT 50MSNI	50	5 x 3m	-	15	243.00
<b>HMS ( *L.H.S.F.T. CONDUIT )</b>						
54	PSFT 20HS	20	100 x 3m	300	-	74.50
55	PSFT 20HSNI	20	40 x 3m	-	120	74.50
56	PSFT 25HS	25	50 x 3m	150	-	93.00
57	PSFT 25HSNI	25	25 x 3m	-	75	93.00
58	PSFT 32HS	32	50 x 3m	150	-	148.00
59	PSFT 32HSNI	32	10 x 3m	-	30	148.00
60	PSFT 40HS	40	25 x 3m	75	-	204.00
61	PSFT 40HSNI	40	5 x 3m	-	15	204.00
62	PSFT 50HS	50	20 x 3m	60	-	298.00
63	PSFT 50HSNI	50	5 x 3m	-	15	298.00



# Special Size

≈ FRLS : Fire Retardant - Low Smoke

\* LHSFT : Low Halogen - Smoke Suppressing - Fire Retardant - Temperature Stable Lead Free

## ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 73201019

### BENDING SPRING

SR NO	PRODUCT CODE	SIZE	COLOUR	STANDARD PACK		RATE (Pc)
		OD (mm)		Pc/Bag	Pc/Cart	
<b>LIGHT GAUGE</b>						
64	PBS20L	20	Green	10	50	286.00
65	PBS25L	25	Green	5	25	377.00
<b>MEDIUM GAUGE</b>						
66	PBS20M	20	Silver	10	50	286.00
67	PBS25M	25	Silver	5	25	377.00
<b>HEAVY GAUGE</b>						
68	PBS20H	20	Gold	10	50	286.00
69	PBS25H	25	Gold	5	25	377.00



ø Suitable for 19mm LMS and 19mm MMS conduits also.

## ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

### CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - TERMINAL (1WAY)</b>					
70	PRCB 191	19	20	600	29.00
71	PRCB 201	20	20	600	29.50
72	PRCB 251	25	15	450	38.00
73	PRCB 321	32	10	160	70.50
74	PRCB 401	40	10	160	84.50
75	PRCB 501	50	5	80	150.00
<b>CIRCULAR BOX - ANGLE (2WAY)</b>					
76	PRCB 192A	19	20	400	30.50
77	PRCB 202A	20	20	400	31.00
78	PRCB 252A	25	15	300	39.00
79	PRCB 322A	32	10	160	74.00
80	PRCB 402A	40	10	160	91.50
81	PRCB 502A	50	5	80	166.00
<b>CIRCULAR BOX - THROUGH (2 WAY)</b>					
82	PRCB 192S	19	20	400	30.50
83	PRCB 202S	20	20	400	31.00
84	PRCB 252S	25	15	300	39.00
85	PRCB 322S	32	10	160	74.00
86	PRCB 402S	40	10	160	91.50
87	PRCB 502S	50	5	80	166.00
<b>CIRCULAR BOX - TEE (3 WAY)</b>					
88	PRCB 193	19	20	400	34.00
89	PRCB 203	20	20	400	35.00
90	PRCB 253	25	15	300	45.50
91	PRCB 323	32	10	160	76.00
92	PRCB 403	40	10	160	95.50
93	PRCB 503	50	5	80	179.00
<b>CIRCULAR BOX - INTERSECTION (4 WAY)</b>					
94	PRCB 194	19	20	400	36.50
95	PRCB 204	20	20	400	37.00
96	PRCB 254	25	15	240	51.50
97	PRCB 324	32	10	160	80.00
98	PRCB 404	40	10	160	109.00
99	PRCB 504	50	5	80	194.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>DEEP CIRCULAR BOX - TERMINAL (1 WAY)</b>					
100	PRCB 191D	19	10	280	49.50
101	PRCB 201D	20	10	280	50.50
102	PRCB 251D	25	10	280	60.50
103	PRCB 321D	32	10	280	71.00
<b>DEEP CIRCULAR BOX - ANGLE (2 WAY)</b>					
104	PRCB 192AD	19	10	280	51.50
105	PRCB 202AD	20	10	280	52.00
106	PRCB 252AD	25	10	280	63.00
107	PRCB 322AD	32	10	280	76.00
<b>DEEP CIRCULAR BOX - THROUGH (2 WAY)</b>					
108	PRCB 192SD	19	10	200	51.50
109	PRCB 202SD	20	10	200	52.00
110	PRCB 252SD	25	10	200	63.00
111	PRCB 322SD	32	10	200	76.00
<b>DEEP CIRCULAR BOX - TEE (3 WAY)</b>					
112	PRCB 193D	19	10	220	60.00
113	PRCB 203D	20	10	220	58.50
114	PRCB 253D	25	10	220	74.00
115	PRCB 323D	32	10	160	82.00
<b>DEEP CIRCULAR BOX - INTERSECTION (4 WAY)</b>					
116	PRCB 194D	19	10	220	59.50
117	PRCB 204D	20	10	220	60.50
118	PRCB 254D	25	10	220	77.50
119	PRCB 324D	32	10	160	84.00
<b>CIRCULAR BOX BRANCH - 2WAY (U)</b>					
120	PRCB 19U	19	20	400	51.50
121	PRCB 20U	20	20	400	52.00
122	PRCB 25U	25	20	400	70.50
<b>CIRCULAR BOX BRANCH - 3WAY (Y)</b>					
123	PRCB 19Y	19	20	400	55.00
124	PRCB 20Y	20	20	400	58.50
125	PRCB 25Y	25	15	300	76.00

COLOUR : **BLACK** **GREY** **IVORY** **WHITE**

## CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX BRANCH - 4WAY (H)</b>					
126	PRCB 19H	19	15	300	59.50
127	PRCB 20H	20	15	300	60.50
128	PRCB 25H	25	15	300	82.00
<b>CIRCULAR BOX BACK OUTLET ( 1 WAY )</b>					
129	PRCB 201 BO	20	20	400	51.50
130	PRCB 251 BO	25	15	300	72.00
<b>CIRCULAR BOX BACK OUTLET THROUGH ( 2 WAY )</b>					
131	PRCB 202S BO	20	20	400	52.00
132	PRCB 252S BO	25	15	300	76.00
<b>CIRCULAR BOX BACK OUTLET ANGLE ( 2 WAY )</b>					
133	PRCB 202A BO	20	20	400	52.00
134	PRCB 252A BO	25	15	300	76.00
<b>CIRCULAR BOX BACK OUTLET TEE ( 3 WAY )</b>					
135	PRCB 203 BO	20	20	400	58.50
136	PRCB 253 BO	25	15	300	82.00
<b>CIRCULAR LID (WITH SCREW)</b>					
137	PRCL65*	65	100	2000	10.00
138	PRCL80#	80	100	2000	21.00
139	PRCL85	85	100	2000	21.50
140	PRCL90	90	100	1800	24.00
141	PRCL93	93	25	750	24.00
142	PRCL110	110	50	900	37.50
<b>CIRCULAR LID (WITHOUT SCREW)</b>					
143	PRCL65WS*	65	100	2000	8.00
144	PRCL80WS#	80	100	2000	20.50
145	PRCL85WS	85	100	2000	21.00
146	PRCL90WS	90	100	1800	23.00
147	PRCL93WS	93	25	750	23.00
148	PRCL110WS	110	50	900	37.00

>65 - For 19/20/25mm JB, DJB & 32 DJB      ø80 - For 32/40mm JB  
 ~93 - For 50 mm JB

## CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - ANGLE - 2 WAY</b>					
157	PRCB 192AL	19	20	400	41.00
158	PRCB 202AL	20	20	400	43.50
159	PRCB 252AL	25	15	300	50.50
160	PRCB 322AL	32	10	160	95.50
161	PRCB 402AL	40	10	160	113.00
162	PRCB 502AL	50	5	80	191.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - ANGLE - 2 WAY (AUTO LID W/O SCREW)</b>					
163	PRCB 202AAL	20	15	270	41.00
164	PRCB 252AAL	25	10	180	48.50

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - THROUGH - 2 WAY</b>					
165	PRCB 192SL	19	20	400	41.00
166	PRCB 202SL	20	20	400	43.50
167	PRCB 252SL	25	15	300	50.50
168	PRCB 322SL	32	10	160	95.50
169	PRCB 402SL	40	10	160	113.00
170	PRCB 502SL	50	5	80	191.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - THROUGH - 2 WAY (AUTO LID W/O SCREW)</b>					
171	PRCB 202SAL	20	15	270	41.00
172	PRCB 252SAL	25	10	180	48.50

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - TEE - 3 WAY</b>					
173	PRCB 193L	19	20	400	45.50
174	PRCB 203L	20	20	400	46.00
175	PRCB 253L	25	15	300	55.00
176	PRCB 323L	32	5	110	98.00
177	PRCB 403L	40	5	110	116.00
178	PRCB 503L	50	5	80	207.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - TEE - 3 WAY (AUTO LID W/O SCREW)</b>					
179	PRCB 203AL	20	15	270	44.00
180	PRCB 253AL	25	10	180	52.50

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - INTERSECTION (4 WAY)</b>					
181	PRCB 194L	19	20	320	48.50
182	PRCB 204L	20	20	320	49.00
283	PRCB 254L	25	15	240	62.50
184	PRCB 324L	32	5	110	101.00
185	PRCB 404L	40	5	110	130.00
186	PRCB 504L	50	5	80	222.00


SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - INTERSECTION - 4 WAY (AUTO LID W/O SCREW)</b>					
187	PRCB 204AL	20	12	216	47.50
188	PRCB 254AL	25	15	150	60.50

## CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - TERMINAL - 1WAY</b>					
149	PRCB 191L	19	20	600	37.50
150	PRCB 201L	20	20	600	38.00
151	PRCB 251L	25	15	450	49.50
152	PRCB 321L	32	10	160	90.50
153	PRCB 401L	40	10	160	107.00
154	PRCB 501L	50	5	80	176.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>CIRCULAR BOX - TERMINAL - 1 WAY (AUTO LID W/O SCREW)</b>					
155	PRCB 201AL	20	20	360	36.50
156	PRCB 251AL	25	15	270	48.00

Auto Lid w/o insert & screw















## ROUND CONDUIT uPVC PIPE FITTINGS








HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

### CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
<b>DEEP CIRCULAR BOX - TERMINAL (1 WAY)</b>						
189	PRCB 191DL	19	10	280	59.50	
190	PRCB 201DL	20	10	280	60.50	
191	PRCB 251DL	25	10	280	71.50	
192	PRCB 321DL	32	10	280	81.00	
<b>DEEP CIRCULAR BOX - ANGLE (2 WAY)</b>						
193	PRCB 192ADL	19	10	280	63.50	
194	PRCB 202ADL	20	10	280	64.00	
195	PRCB 252ADL	25	10	280	73.50	
196	PRCB 322ADL	32	10	280	87.00	
<b>DEEP CIRCULAR BOX - THROUGH (2 WAY)</b>						
197	PRCB 192SDL	19	10	200	63.50	
198	PRCB 202SDL	20	10	200	64.00	
199	PRCB 252SDL	25	10	200	73.50	
200	PRCB 322SDL	32	10	200	87.00	
<b>DEEP CIRCULAR BOX - TEE (3 WAY)</b>						
201	PRCB 193DL	19	10	220	66.00	
202	PRCB 203DL	20	10	220	67.50	
203	PRCB 253DL	25	10	220	85.50	
204	PRCB 323DL	32	10	160	92.50	
<b>DEEP CIRCULAR BOX - INTERSECTION (4 WAY)</b>						
205	PRCB 194DL	19	10	220	70.50	
206	PRCB 204DL	20	10	220	71.00	
207	PRCB 254DL	25	10	220	89.00	
208	PRCB 324DL	32	10	160	93.00	
<b>CIRCULAR BOX BRANCH - 2 WAY (U)</b>						
209	PRCB 19UL	19	20	400	63.50	
210	PRCB 20UL	20	20	400	64.00	
211	PRCB 25UL	25	20	400	80.00	
<b>CIRCULAR BOX BRANCH - 3 WAY (Y)</b>						
212	PRCB 19YL	19	15	300	66.00	
213	PRCB 20YL	20	15	300	67.50	
214	PRCB 25YL	25	15	300	86.00	
<b>CIRCULAR BOX BRANCH - 4 WAY (H)</b>						
215	PRCB 19HL	19	15	300	70.50	
216	PRCB 20HL	20	15	300	71.00	
217	PRCB 25HL	25	15	300	92.50	
<b>CIRCULAR BOX BACK OUTLET ( 1 WAY )</b>						
218	PRCB 201 BOL	20	20	400	63.00	
219	PRCB 251 BOL	25	15	300	84.00	
<b>CIRCULAR BOX BACK OUTLET THROUGH ( 2 WAY )</b>						
220	PRCB 202S BOL	20	15	300	64.00	
221	PRCB 252S BOL	25	15	240	86.00	
<b>CIRCULAR BOX BACK OUTLET ANGLE ( 2 WAY )</b>						
222	PRCB 202A BOL	20	15	300	64.00	
223	PRCB 252A BOL	25	15	240	86.00	
<b>CIRCULAR BOX BACK OUTLET TEE ( 3 WAY )</b>						
224	PRCB 203 BOL	20	15	300	67.50	
225	PRCB 253 BOL	25	15	240	92.50	

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
<b>CIRCULAR EXTENSION RING</b>						
226	PRER 20	20	50	800	21.00	
227	PRER 25	25	40	640	27.50	
<b>LOOP IN BOX</b>						
228	PRLB 19	19 (4 punch)	20	400	30.50	
229	PRLB 20	20 (4 punch)	20	400	31.00	
230	PRLB 25	25 (2 punch)	20	400	31.00	
<b>LOOP IN BOX EXTENSION</b>						
231	PRLB 20E	20	24	384	45.50	
<b>COUPLER</b>						
232	PCR 19	19	100	2000	8.00	
233	PCR 20	20	100	2000	10.00	
234	PCR 20 L	20 Long	150	2400	10.00	
235	PCR 25	25	100	2000	12.50	
236	PCR 32	32	60	960	22.00	
237	PCR 38	38	30	480	33.50	
238	PCR 40	40	30	480	37.00	
239	PCR 50	50	20	320	62.50	
<b>EXPANSION COUPLER</b>						
240	PCR 20E	20	20	600	12.50	
241	PCR 25E	25	12	360	21.50	
242	PCR 32E	32	8	240	39.00	
243	PCR 38E	38	10	200	50.50	
244	PCR 50E	50	10	160	70.50	
<b>REDUCER COUPLER (PIPE TO FITTING)</b>						
245	PRR 1	25>20	250	4000	12.50	
<b>REDUCER COUPLER (PIPE TO PIPE)</b>						
246	PRR 2520	25 > 20	75	1500	13.00	
247	PRR 3220	32 > 20	60	1200	17.00	
248	PRR 3225	32 > 25	40	800	22.00	
249	PRR 4020	40 > 20	48	960	27.50	
250	PRR 4032	40 > 32	32	640	30.50	
251	PRR 5032	50 > 32	30	480	37.00	
252	PRR 5040	50 > 40	30	480	38.00	
<b>SLIP TYPE BEND</b>						
253	PRBN 19	19	65	1040	14.00	
254	PRBN 20	20	65	1040	14.00	
255	PRBN 25	25	35	560	24.50	
256	PRBN 32	32	20	320	64.00	
257	PRBN 38	38	10	160	78.00	
258	PRBN 40	40	10	160	128.00	
259	PRBN 50	50	5	80	178.00	
260	PRBN 63	63	-	50	257.00	

## ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>SLIP TYPE LONG BEND</b>					
261	PRBL 19	19	45	720	21.50
262	PRBL 20	20	45	720	21.50
263	PRBL 25	25	20	320	37.00
264	PRBL 32	32	10	160	88.00
265	PRBL 38	38	-	100	109.00
266	PRBL 40	40	-	80	174.00
267	PRBL 50	50	-	55	261.00
<b>SPACE BAR SADDLE</b>					
268	PRBS 19	19	100	2000	13.00
269	PRBS 20	20	100	2000	14.00
270	PRBS 25	25	100	2000	16.00
271	PRBS 32	32	100	1600	27.50
272	PRBS 38	38	80	1280	30.50
273	PRBS 40	40	80	1280	31.00
274	PRBS 50	50	60	960	37.00
275	PRBS 63	63	-	50	49.00
<b>SADDLE STRAP</b>					
276	PRSS 19	19	100	2000	7.50
277	PRSS 20	20	100	2000	8.00
278	PRSS 25	25	100	2000	10.00
279	PRSS 32	32	100	1600	13.00
280	PRSS 38	38	80	1280	15.50
281	PRSS 40	40	80	1280	16.00
282	PRSS 50	50	60	960	21.50
<b>ROUND 'U' CLIP</b>					
283	PRUC 20	20	200	4000	12.50
284	PRUC 25	25	100	3000	20.00
<b>END CAP</b>					
285	PREC 20	20	150	3000	6.00
286	PREC 25	25	100	2000	8.00
287	PREC 32	32	70	1400	10.00
288	PREC 40	40	32	640	19.50
289	PREC 50	50	24	480	27.50
<b>MALE BUSH ADAPTOR</b>					
290	PMBA 19	19	100	2000	13.00
291	PMBA 20	20	100	2000	14.00
292	PMBA 25	25	100	2000	15.50
<b>FEMALE BUSH ADAPTOR</b>					
293	PFBA 19	19	100	2000	13.00
294	PFBA 20	20	100	2000	14.00
295	PFBA 25	25	100	2000	17.00
296	PFBA 32	32	75	1200	41.00
297	PFBA 38	38	50	800	54.00
298	PFBA 40	40	50	800	54.00
299	PFBA 50	50	25	400	92.50

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
<b>ROUND ELBOW</b>						
300	PRE 20	20	125	2500	13.00	
301	PRE 25	25	75	1200	17.00	
302	PRE 32	32	20	400	24.00	
303	PRE 40	40	15	300	37.00	
304	PRE 50	50	10	200	59.50	
<b>ROUND TEE</b>						
305	PRT 20	20	50	1500	28.00	
306	PRT 25	25	50	800	31.00	
307	PRT 32	32	15	300	35.00	
308	PRT 40	40	10	200	53.00	
309	PRT 50	50	10	160	83.00	
<b>INSPECTION ELBOW</b>						
310	PIE 20	20	20	600	51.50	
311	PIE 25	25	20	400	64.00	
<b>INSPECTION TEE</b>						
312	PIT 20	20	20	600	52.00	
313	PIT 25	25	20	400	76.00	
<b>INSPECTION BEND</b>						
314	PIB 20	20	20	600	52.00	
315	PIB 25	25	20	400	76.00	
<b>ADAPTABLE BOX WITH LID</b>						
Δ	316	PAB 75L	3" x 3" x 2" 75x75x50	10	200	113.00
◇	317	PAB 110L	4" x 4" x 3" 110x110x75	-	100	222.00
	318	PAB 160L	6" x 4" x 3" 160x110x75	-	75	441.00
	319	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	487.00
	320	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	1048.00
	321	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	2206.00
<b>SURFACE SWITCH BOX</b>						
✱	322	PSB1	3" x 3"	10	300	70.50
✱	323	PSB2	6" x 3"	10	200	120.00
<b>SWITCH BOX LID (WHITE)</b>						
	324	PSBL1 LID	3" x 3"	40	1200	31.00
	325	PSBL2 LID	6" x 3"	25	750	41.00
<b>FLUSH MOUNTED - SWITCH BOX</b>						
✱	326	PFSB1	3" x 3" x 2.5"	10	200	80.00
✱	327	PFSB2	6" x 3" x 2.5"	10	160	107.00

Δ 32/38/40mm Knockout Available ✱ 20mm Knockout Available  
◇ 50mm Knockout Available ✱ 20/25mm Knockout Available

## ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : **BLACK** **GREY** **IVORY** **WHITE**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
<b>FAN BOX (BLACK)</b>					
328	PRFB20	20 Standard	10	220	84.50
329	PRFB25	25 Standard	10	220	84.50
330	PRFB20SL	20 Large	10	140	113.00
331	PRFB25SL	25 Large	10	140	113.00
332	PRFBRD2025	20/25 With Rod	1	28	337.00
333	PRFBRD25	25 With Rod	1	28	337.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Bag		
<b>METAL FAN BOX - WITH ROD (BROWN)</b>					
HSN : 73072900					
334	PMFB 2025	20/25	50		227.50



SR NO	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
<b>uPVC SOLVENT CEMENT</b>					
HSN : 35061000					
335	PSC100 ML	100ml	Transparent	24 144	69.00
336	PSC250 ML	250ml	Transparent	24 96	124.00
337	PSC500 ML	500ml	Transparent	12 48	210.00
338	PSC1L	1L	Transparent	6 24	361.00
339	PSC5L	5L	Transparent	- 6	1453.00



SR NO	PRODUCT CODE	SIZE - W (mm)xL(Mtr)	STANDARD PACK		RATE (pc)
			Pc/Box	Pc/Carton	
<b>PVC ELECTRICAL INSULATION TAPE</b>					
HSN : 85469090					
COLOUR : <b>BLACK</b> <b>WHITE</b> <b>RED</b> <b>GREEN</b> <b>BLUE</b> <b>YELLOW</b>					
340	PPIT 18	18x6	30	540	13.50



## OVAL CONDUIT uPVC PIPES

HSN : 39172310



COLOUR : **WHITE**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
<b>OVAL CONDUIT uPVC PIPES</b>					
341	POC 16	16	200 x 2m	400	22.00
342	POC 20	20	200 x 2m	400	29.50
343	POC 25	25	100 x 2m	200	38.50




## OVAL CONDUIT uPVC PIPE FITTINGS

HSN : 39174000

COLOUR : **WHITE**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box		
<b>OVAL CONNECTOR</b>					
344	POCT 16	16	100		2.00
345	POCT 20	20	50		5.50
346	POCT 25	25	50		8.00
<b>OVAL ELBOW</b>					
347	POE 16	16	100		5.50
348	POE 20	20	75		8.00
349	POE 25	25	50		12.00
<b>OVAL TEE</b>					
350	POT 16	16	100		8.00
351	POT 20	20	50		10.00
352	POT 25	25	40		12.00
<b>OVAL INTERNAL BEND</b>					
353	POIB 16	16	100		8.00
354	POIB 20	20	50		8.00
355	POIB 25	25	25		10.00
<b>OVAL EXTERNAL BEND</b>					
356	POEB 16	16	100		8.00
357	POEB 20	20	50		10.00
358	POEB 25	25	25		10.00
<b>OVAL SADDLE STRAP</b>					
359	POSS 16	16	100		5.50
360	POSS 20	20	100		5.50
361	POSS 25	25	100		10.00
<b>OVAL SADDLE STRAP BASE</b>					
362	POB	Standard	100		10.00
<b>OVAL 'U' CLIP</b>					
363	POU 16	16	200		5.50
364	POU 20	20	150		8.00
365	POU 25	25	150		10.00
<b>OVAL TO ROUND ADAPTOR</b>					
366	PORA 16	16	100		5.50
367	PORA 20	20	50		10.00
368	PORA 25	25	25		12.00





## G.I. & M.S. Conduit Pipes & Fittings



**Precision G.I & M.S. Conduit Pipes** are manufactured from a rigorously tested raw material, in accordance to IS 9537 Part – 2.

**G.I Conduit Pipes** are coated by hot dipped galvanising plant in which iron or steel is coated with layer of zinc. This coating renders a safety finish to the conduit, which is durable in industrial installations, coastal line atmosphere & thermal power stations.

**M.S. Conduit Pipes** are treated and coated with paint.

#### Application :

Channelising Electrical surface wiring and cable ducting.

#### Features :

- Anti – rust coating and good finish
- Easy to cut
- High resistance to corrosion

G. I. - Silver



M. S. - Black



#### Dimensions of G.I. & M.S. Conduit Pipes

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0+, -0.3	1.60	±0.2
25	25	0+, -0.4	1.60	±0.2
32	32	0+, -0.4	1.60	±0.2
40	40	0+, -0.4	2.00	+0.2, -0.4
50	50	0+, -0.5	2.00	+0.2, -0.4

## G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : **BLACK** **SILVER**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
<b>G.I. CONDUIT PIPES - COLOUR : SILVER</b>					
369	<b>PGIC 20</b>	20	26 x 3m	78	<b>231.00</b>
370	<b>PGIC 25</b>	25	21 x 3m	63	<b>280.00</b>
371	<b>PGIC 32</b>	32	16 x 3m	48	<b>420.00</b>
372	<b>PGIC 40</b>	40	10 x 3m	30	<b>665.00</b>
373	<b>PGIC 50</b>	50	5 x 3m	15	<b>755.00</b>



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
<b>M.S. CONDUIT PIPES - COLOUR : BLACK</b>					
374	<b>PMSC 20</b>	20	26 x 3m	78	<b>145.00</b>
375	<b>PMSC 25</b>	25	21 x 3m	63	<b>185.00</b>
376	<b>PMSC 32</b>	32	16 x 3m	48	<b>260.00</b>
377	<b>PMSC 40</b>	40	10 x 3m	30	<b>435.00</b>
378	<b>PMSC 50</b>	50	5 x 3m	15	<b>570.00</b>



## G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099

COLOUR : **BLACK** **SILVER**



### CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>G.I. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)</b>					
379	<b>PGIB 251</b>	25	20	200	<b>76.00</b>
<b>M.S. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)</b>					
380	<b>PMSB 201</b>	20	20	200	<b>50.50</b>
381	<b>PMSB 251</b>	25	20	200	<b>56.00</b>
<b>G.I. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)</b>					
382	<b>PGIB 252S</b>	25	20	200	<b>79.00</b>
<b>M.S. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)</b>					
383	<b>PMSB 202S</b>	20	20	200	<b>54.00</b>
384	<b>PMSB 252S</b>	25	20	200	<b>58.50</b>
<b>G.I. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)</b>					
385	<b>PGIB 253</b>	25	20	200	<b>83.50</b>
<b>M.S. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)</b>					
386	<b>PMSB 203</b>	20	20	200	<b>56.50</b>
387	<b>PMSB 253</b>	25	20	200	<b>63.00</b>




### CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
<b>G.I. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)</b>					
388	<b>PGIB 254</b>	25	20	200	<b>87.00</b>
<b>M.S. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)</b>					
389	<b>PMSB 204</b>	20	20	200	<b>64.50</b>
390	<b>PMSB 254</b>	25	20	200	<b>68.50</b>
<b>G.I. INSPECTION BEND (SCREW TYPE)</b>					
391	<b>PGI25 IB</b>	25	20	200	<b>79.50</b>
<b>M.S. INSPECTION BEND (SCREW TYPE)</b>					
392	<b>PMS20 IB</b>	20	20	200	<b>51.50</b>
393	<b>PMS25 IB</b>	25	20	200	<b>58.00</b>
<b>M.S. NORMAL BEND - INTERNAL THREAD</b>					
394	<b>PMS25NB</b>	25	12	144	-



## uPVC Mini/Maxi Trunking Profile & Fittings



**Precision uPVC Mini/Maxi Trunking Profile and Fittings** are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standards IS 14927-Part 2 and BS EN 50085-2-1. Mini Trunking Profile are also available with self fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

**Precision uPVC Maxi Trunking Profile** Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

### Application


To organize and protect cables on surface.

### Features


- Fast installation and easy maintenance.
- Secure and elegant look.
- Wide range of sizes to suit all cabling requirements
- Durable and impact resistant
- Fire retardant
- Corrosion free
- Thermal resistant from -5°C to +60°C

### Colours

Ivory, White



Fire retardant,  
corrosion free





Wide range

## uPVC MINI / MAXI TRUNKING PROFILE

HSN : 39162019

 COLOUR : IVORY WHITE


SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr	Mtr/Bdl	RATE (Mtr)
<b>uPVC MINI TRUNKING PROFILE (IVORY / WHITE)</b>					
395	PT2012	20 x 12	100 x 2m	200	40.50
396	PT2512	25 x 12	100 x 2m	200	50.50
397	PT3212	32 x 12	100 x 2m	200	63.50
398	PT1616	16 x 16	100 x 2m	200	37.50
399	PT2516	25 x 16	100 x 2m	200	59.50
400	PT3816	38 x 16	50 x 2m	100	91.00
401	PT3825	38 x 25	50 x 2m	100	103.00
402	PT3838	38 x 38	25 x 2m	50	134.00
403	PT5016	50 x 16	50 x 2m	100	147.00
<b>uPVC MINI TRUNKING PROFILE (SELF ADHESIVE - IVORY / WHITE)</b>					
404	PTS1616	16 x 16	100 x 2m	200	68.50
405	PTS2516	25 x 16	100 x 2m	200	93.50
406	PTS3816	38 x 16	50 x 2m	100	150.00
407	PTS3825	38 x 25	50 x 2m	100	198.00



SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr	Mtr/Bdl	RATE (Mtr)
<b>uPVC MAXI TRUNKING PROFILE (WHITE)</b>					
408	PT5050	50 x 50	20 x 2m	40	245.00
409	PT 7550	75 x 50	12 x 2m	24	592.00
410	PT 7575	75 x 75	9 x 2m	18	767.00
411	PT 10050	100 x 50	10 x 2m	20	958.00
412	PT 100100	100 x 100	6 x 2m	12	1390.00
413	PT 15050	150 x 50	5 x 2m	10	1454.00
<b>MT - MAXI TRUNKING PROFILE (WHITE)</b>					
414	PMT150150	150 x 150	2 x 3m	6	1470.00
<b>uPVC MAXI TRUNKING PROFILE DIVIDER (WHITE)</b>					
415	PMTD	Standard	50 x 2m	100	132.00
<b>RECTANGULAR CHANNEL PROFILE (WHITE)</b>					
416	PCH 13	13 x 9	50 x 2m	100	29.50
417	PCH 25	25 x 9	50 x 2m	100	37.00
418	PCH 38	38 x 9	50 x 2m	100	48.00



∞ For 100 x 50

## uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39174000

 COLOUR : IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
<b>COUPLER</b>				
419	PTC 2012	20 x 12	100	5.50
420	PTC 2512	25 x 12	100	4.50
421	PTC 3212	32 x 12	100	5.00
422	PTC 1616	16 x 16	100	5.50
423	PTC 2516	25 x 16	100	5.50
424	PTC 3816	38 x 16	50	9.00
425	PTC 3825	38 x 25	50	10.00
426	PTC 10050	100 x 50(W)	10	24.00
<b>ELBOW</b>				
427	PTB 2012	20 x 12	100	7.50
428	PTB 2512	25 x 12	100	5.50
429	PTB 3212	32 x 12	100	9.00
430	PTB 1616	16 x 16	100	5.50
431	PTB 2516	25 x 16	100	8.00
432	PTB 3816	38 x 16	100	11.00
433	PTB 3825	38 x 25	100	13.00
434	PTB 10050	100 x 50(W)	10	100.00
<b>TEE</b>				
435	PTT 2012	20 x 12	100	8.00
436	PTT 2512	25 x 12	50	7.50
437	PTT 3212	32 x 12	50	10.00
438	PTT 1616	16 x 16	100	8.00
439	PTT 2516	25 x 16	50	8.50
440	PTT 3816	38 x 16	50	13.00
441	PTT 3825	38 x 25	50	14.50
442	PTT 10050	100 x 50(W)	10	94.00



SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
<b>INTERNAL BEND</b>				
443	PTI 2512	25 x 12	100	2.50
444	PTI 3212	32 x 12	100	5.50
445	PTI 1616	16 x 16	100	5.50
446	PTI 2516	25 x 16	100	7.00
447	PTI 3816	38 x 16	100	8.00
448	PTI 3825	38 x 25	50	10.00
449	PTI10050	100 x 50(W)	10	38.50
<b>EXTERNAL BEND</b>				
450	PTE 2512	25 x 12	100	3.00
451	PTE 3212	32 x 12	100	7.50
452	PTE 1616	16 x 16	100	8.00
453	PTE 2516	25 x 16	100	9.00
454	PTE 3816	38 x 16	100	10.00
455	PTE 3825	38 x 25	50	15.00
456	PTE 10050	100 x 50(W)	10	68.50
<b>4 WAY</b>				
457	PTW3212	32 x 12	50	17.00
<b>END CAP</b>				
458	PMTc 100	100 x 50(W)	50	20.50



## uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39162019

COLOUR :  IVORY  WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (Pc)
<b>JUNCTION LINKER</b>					
459	<b>PTJL7575</b>	Standard	25	500	<b>9.50</b>



SR NO	PRODUCT CODE	SIZE W x H (inch)	STANDARD PACK Pc/Box Pc/Carton		RATE (Pc)
<b>SURFACE SWITCH BOX - TRUNKING KNOCKOUT (WHITE)</b>					
\$ 460	<b>PTSB1</b>	3" x 3"	10	300	<b>69.00</b>
\$ 461	<b>PTSB2</b>	6" x 3"	10	200	<b>115.00</b>



\$ 16x16,25x16 Knockout Available

## UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN : 39174000

COLOUR :  WHITE


SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Bag	RATE (Pc)
<b>ELBOW</b>				
462	<b>PMTL50</b>	50 x 50	5	<b>131.00</b>
463	<b>PMTL751</b>	75 x 50	5	<b>317.00</b>
464	<b>PMTL752</b>	75 x 75	5	<b>377.00</b>
465	<b>PMTL1002</b>	100 x 100	5	<b>537.00</b>
466	<b>PMTL1501</b>	150 x 50	5	<b>510.00</b>
467	<b>PMTL1502</b>	150 x 150	-	-
<b>TEE</b>				
468	<b>PMTT50</b>	50 x 50	5	<b>185.00</b>
469	<b>PMTT751</b>	75 x 50	5	<b>317.00</b>
470	<b>PMTT752</b>	75 x 75	5	<b>377.00</b>
471	<b>PMTT1002</b>	100 x 100	5	<b>537.00</b>
472	<b>PMTT1501</b>	150 x 50	5	<b>510.00</b>
473	<b>PMTT1502</b>	150 x 150	-	-
<b>INTERNAL ANGLE</b>				
474	<b>PMTI50</b>	50 x 50	5	<b>131.00</b>
475	<b>PMTI751</b>	75 x 50	5	<b>317.00</b>
476	<b>PMTI752</b>	75 x 75	5	<b>377.00</b>
477	<b>PMTI1002</b>	100 x 100	5	<b>537.00</b>
478	<b>PMTI1501</b>	150 x 50	5	<b>510.00</b>
479	<b>PMTI1502</b>	150 x 150	-	-



SR NO	PRODUCT CODE	SIZE W x H (mm)	STD.PACK Pc/Bag	RATE (Pc)
<b>EXTERNAL ANGLE</b>				
480	<b>PMTE50</b>	50 x 50	5	<b>131.00</b>
481	<b>PMTE751</b>	75 x 50	5	<b>317.00</b>
482	<b>PMTE752</b>	75 x 75	5	<b>377.00</b>
483	<b>PMTE1002</b>	100 x 100	5	<b>537.00</b>
484	<b>PMTE1501</b>	150 x 50	5	<b>510.00</b>
485	<b>PMTE1502</b>	150 x 150	-	-
<b>END CAP</b>				
486	<b>PFTC50</b>	50 x 50	5	<b>37.00</b>
487	<b>PFTC751</b>	75 x 50	5	<b>51.00</b>
488	<b>PFTC752</b>	75 x 75	5	<b>59.00</b>
489	<b>PFTC1002</b>	100 x 100	5	<b>123.00</b>
490	<b>PFTC1501</b>	150 x 50	5	<b>137.00</b>



## uPVC Panel Trunking



**Precision uPVC Panel Trunking** are manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium and big size panels & various applications where economy, space saving, safety and durability are paramount.

### Applications

To conduct, organize, and protect cables inside electrical and telecommunication panels, industrial machinery wiring, Computer LAN wiring and data centers.

### Features

- Non – brittle, flame retardant, wrap proof
- Vertical slids and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting
- High tensile strength 390 kg/cm<sup>2</sup>
- Thermal resistant from -5°C to +60°C

**Colour**  
Grey



Thermal resistant

## uPVC PANEL TRUNKING

HSN : 85381010

COLOUR : GREY



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
<b>uPVC PANEL TRUNKING - STANDARD SLOT</b>					
491	PPT1515	15 x 15	200 x 1m	200	69.00
492	PPT2525	25 x 25	130 x 1m	130	104.00
493	PPT3025	30 x 25	125 x 1m	125	112.00
494	PPT4525	45 x 25	90 x 1m	90	136.00
495	PPT4545	45 x 45	50 x 1m	50	190.00
496	PPT4560	45 x 60	50 x 1m	50	245.00
497	PPT6025	60 x 25	70 x 1m	70	175.00
498	PPT6040	60 x 40	60 x 1m	60	219.00
499	PPT6045	60 x 45	50 x 1m	50	220.00
500	PPT6060	60 x 60	40 x 1m	40	277.00
501	PPT7525	75 x 25	60 x 1m	60	223.00
502	PPT7575	75 x 75	30 x 1m	30	407.00
503	PPT10075	100 x 75	24 x 1m	24	666.00
504	PPT100100	100 x 100	16 x 1m	16	787.00



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
<b>uPVC PANEL TRUNKING - THIN SLOT</b>					
505	PPT3025TS	30 x 25	125 x 1m	125	116.00
506	PPT4525TS	45 x 25	90 x 1m	90	144.00
507	PPT4545TS	45 x 45	50 x 1m	50	200.00
508	PPT4560TS	45 x 60	50 x 1m	50	246.00
509	PPT6025TS	60 x 25	70 x 1m	70	188.00
510	PPT6040TS	60 x 40	60 x 1m	60	232.00
511	PPT6045TS	60 x 45	50 x 1m	50	233.00
512	PPT6060TS	60 x 60	40 x 1m	40	292.00



SR NO	PRODUCT CODE	SIZE (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
<b>uPVC PANEL TRUNKING - TOP COVER</b>					
513	PPT25T	25	100 x 1m	100	42.50
514	PPT40T	40	50 x 1m	50	70.50
515	PPT45T	45	50 x 1m	50	74.50
516	PPT60T	60	50 x 1m	50	116.00
517	PPT75T	75	25 x 1m	25	116.00
518	PPT100T	100	25 x 1m	25	185.00




### OPTIMAL GRIP LID

- Precision's Panel Trunking lid design provides high capacity to sustain leads of wire in the case of a cable positioned in the centre of the duct and avoids them from riding up.
- Quick snap on/off and non-slip assembly forms a firm rigid channel.

- Interlocking lid and channel is optimised to make the system easier to install and to provide discrete routing of cables.
- Uniform grip and thickness throughout the length system with independent non-slip lid, keeps cover in place during high vibration applications.



STANDARD SLOT




THIN SLOT




### WALL PERFORATION RIB DESIGN

- All wall perforation ribs of Precision Panel Trunking have larger rounded slots for easy insertion of wires and cables.
- Rounded design with burr-free edges to prevent any injury to the hand of the user or to the cable insulation.




### ELONGATED MOUNTING SLOTS

- Perforated base with elongated slot allows flexible mounting and better fastening of the cables.
- Robust sections.



For Panel Trunking  
75 x 75, 100 x 75 & 100 x 100



For Panel Trunking  
15 x 15, 25 x 25, 30 x 25, 45 x 25, 45 x 45,  
45 x 60, 60 x 25, 60 x 45, 60 x 60

- All dimensions in (mm)

# Corrugated Flexible Conduit Pipes & Fittings

**Precision Corrugated Flexible Conduit Pipes** come in a wide and comprehensive range of material variants to suit variety of applications. These conduits are manufactured in slit and non-slit variants based on the final application for wiring purposes.


**Polypropylene Flexible Conduits** are the best solution for applications where resistance to constant flexing and vibration is essential. These conduits display excellent flexibility, moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to +90°C.

**Fire Retardant Polypropylene Flexible Conduits** are self extinguishing. These conduits are manufactured from UL94 V2 rated material, ideally suited for automobile applications, wire harnessing, electrical wiring, cable protection and an envelope to LPG gas conductors. Temperature resistant from -5°C to +90°C.

**Polyamide Flexible Conduits** are manufactured from flame retardant and self extinguishing (PA6) material, making them suitable for high temperature zones where human life or components are at risk, high resistance to corrosion by most mineral oils, acids and alkalis. They are widely used in automobile applications and have temperature resistance upto +120°C.

**Steel Wire Reinforced Flexible uPVC Conduits** are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali, saline water. Most suitable for electrical wiring in building, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to +60°C.

## Colours



Black, Grey, Ivory & White



Red, Green, Blue & Yellow



Fire retardant,  
corrosion free



## Precision Galvanised Steel Flexible Conduit

Precision Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in Galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air Conditioning, Ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

## Precision Galvanised Steel Flexible Conduit with PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating Black/Grey colour with spiral corrugated pattern finished surface.

Most suitable for Mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.




## CORRUGATED FLEXIBLE CONDUIT PIPES

HSN : 39173100

BLACK	GREY	IVORY	WHITE	RED	GREEN	BLUE	YELLOW
-------	------	-------	-------	-----	-------	------	--------

DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS			
Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
<b>(PP) POLY PROPYLENE</b>					
519	PCFC 10	10	100	1000	12.00
520	PCFC 16	16	50	500	12.00
521	PCFC 20	20	50	500	16.50
522	PCFC 25	25	25	250	23.50
523	PCFC 32	32	25	250	37.50
524	PCFC 40	40	20	100	51.00
525	PCFC 50	50	15	75	79.50
526	PCFC 63	63	10	50	124.00
<b>FRPP (FIRE RETARDANT POLY PROPYLENE)</b>					
527	PCFR 10	10	100	1000	23.00
528	PCFR 16	16	50	500	23.00
529	PCFR 20	20	50	500	25.50
530	PCFR 25	25	25	250	38.00
531	PCFR 32	32	25	250	60.50
532	PCFR 40	40	20	100	90.00
533	PCFR 50	50	15	75	128.00
534	PCFR 63	63	10	50	212.00



DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90

\*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

\*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

## CORRUGATED FLEXIBLE CONDUIT PIPES ( SLITTED )

HSN : 39173100

BLACK	GREY	IVORY	WHITE	RED	GREEN	BLUE	YELLOW
-------	------	-------	-------	-----	-------	------	--------

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
<b>(PP) POLY PROPYLENE</b>					
535	PCFC 10S	10	100	1000	15.00
536	PCFC 16S	16	50	500	15.00
537	PCFC 20S	20	50	500	18.50
538	PCFC 25S	25	25	250	27.00
539	PCFC 32S	32	25	250	41.50
540	PCFC 40S	40	20	100	53.50
541	PCFC 50S	50	15	75	81.50
542	PCFC 63S	63	10	50	126.00
<b>FRPP (FIRE RETARDANT POLY PROPYLENE)</b>					
543	PCFR 10S	10	100	1000	25.50
544	PCFR 16S	16	50	500	25.50
545	PCFR 20S	20	50	500	29.00
546	PCFR 25S	25	25	250	41.00
547	PCFR 32S	32	25	250	63.00
548	PCFR 40S	40	20	100	92.50
549	PCFR 50S	50	15	75	131.00
550	PCFR 63S	63	10	50	215.00



## CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

HSN : 39174000

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
<b>CORRUGATED FLEXIBLE CONDUIT GLAND</b>					
551	<b>PFAG 16</b>	16	125	2250	<b>5.50</b>
552	<b>PFAG 20</b>	20	75	1350	<b>7.50</b>
553	<b>PFAG 25</b>	25	50	900	<b>9.50</b>
554	<b>PFAG 32</b>	32	30	540	<b>11.50</b>
555	<b>PFAG 40</b>	40	20	360	<b>17.00</b>
556	<b>PFAG 50</b>	50	5	150	<b>22.00</b>



## CORRUGATED FLEXIBLE CONDUIT PIPES

HSN : 39173100

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
<b>NYLON (POLYAMIDE)</b>					
557	<b>PCPA 10</b>	10	100	1000	<b>83.00</b>
558	<b>PCPA 16</b>	16	50	250	<b>89.00</b>
559	<b>PCPA 20</b>	20	50	250	<b>105.00</b>
560	<b>PCPA 25</b>	25	25	125	<b>154.00</b>
561	<b>PCPA 32</b>	32	25	125	<b>235.00</b>
562	<b>PCPA 40</b>	40	20	100	<b>319.00</b>
563	<b>PCPA 50</b>	50	15	75	<b>443.00</b>
564	<b>PCPA 63</b>	63	10	50	<b>693.00</b>



## STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE

HSN : 39172190

COLOUR : **GREY**

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
<b>STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPES</b>					
565	<b>PCWR 10</b>	10	30	300	<b>52.00</b>
566	<b>PCWR 16</b>	16	30	300	<b>63.50</b>
567	<b>PCWR 20</b>	20	30	240	<b>87.00</b>
568	<b>PCWR 25</b>	25	30	210	<b>100.50</b>
569	<b>PCWR 30</b>	30	30	150	<b>128.50</b>
570	<b>PCWR 40</b>	40	30	120	<b>156.50</b>
571	<b>PCWR 50</b>	50	30	90	<b>177.00</b>
572	<b>PCWR 60</b>	60	15	75	<b>256.00</b>



## STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE FITTINGS

HSN : 39174000

COLOUR : **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
<b>STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND</b>					
573	<b>PFRG 10</b>	10	75	1350	<b>9.50</b>
574	<b>PFRG 16</b>	16	60	1080	<b>11.00</b>
575	<b>PFRG 20</b>	20	45	810	<b>14.00</b>
576	<b>PFRG 25</b>	25	30	540	<b>18.00</b>
577	<b>PFRG 30</b>	30	20	360	<b>23.00</b>
578	<b>PFRG 40</b>	40	15	270	<b>30.00</b>
579	<b>PFRG 50</b>	50	5	150	<b>42.50</b>



## GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000

COLOUR : **SILVER**

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
				Mtr/Coil	Mtr/Bag	
<b>GALVANIZED STEEL FLEXIBLE CONDUIT</b>						
580	<b>PGIFC16</b>	16	1/2"	15	210	<b>33.50</b>
581	<b>PGIFC20</b>	20	3/4"	15	150	<b>43.50</b>
582	<b>PGIFC25</b>	25	1"	15	105	<b>62.00</b>
583	<b>PGIFC32</b>	32	1 1/4"	15	75	<b>84.50</b>
584	<b>PGIFC40</b>	40	1 1/2"	15	75	<b>102.00</b>
585	<b>PGIFC50</b>	50	2"	10	50	<b>148.00</b>



## GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
				Mtr/Coil	Mtr/Bag	
<b>GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING</b>						
586	<b>PGIFCP16</b>	16	1/2"	50	250	<b>53.00</b>
587	<b>PGIFCP20</b>	20	3/4"	25	150	<b>64.50</b>
588	<b>PGIFCP25</b>	25	1"	25	125	<b>91.00</b>
589	<b>PGIFCP32</b>	32	1 1/4"	15	75	<b>136.00</b>
590	<b>PGIFCP40</b>	40	1 1/2"	15	75	<b>163.00</b>
591	<b>PGIFCP50</b>	50	2"	15	60	<b>203.00</b>



# DOUBLE WALL CORRUGATED (DWC) Pipes & Fittings



Precision DWC PE Pipes are manufactured from HDPE material in accordance with IS 16205 (Part 24) : 2018 / IS 14930 (Part 2) : 2001 for cable ducting with a bending radius of 2200mm. The outer layer having corrugation and inner layer with plain and smooth surface for excellent mechanical & electrical properties for cable ducting.

## Application

These pipes are meant for protection of cables for Telecom Ducting, Power Cable Distribution, Electrical Applications, indoor ventilation.

## Features

- Excellent underground life
- Leak proof tightness
- Flame retardant
- Excellent impact strength
- Resistance to external influences IP 67,
- Chemical resistance
- Protection against rodent infestation

## Colour

Black & Orange



Fire retardant,  
corrosion free

## DOUBLE WALL CORRUGATED (DWC) PIPES

HSN : 39172190



COLOUR : **BLACK** **ORANGE**

SR NO	PRODUCT CODE	STD. SIZE		RATE (mtr)	RATE 6mtr/pc
		OD mm	ID mm		
<b>HIGH DENSITY POLYETHYLENE PIPE WITH 1 COUPLER (450 N)</b>					
592	<b>PDWC 75</b>	75	63	-	-
593	<b>PDWC 90</b>	90	75	-	-
594	<b>PDWC 110</b>	110	95	-	-
595	<b>PDWC 120</b>	120	103	-	-
596	<b>PDWC 160</b>	160	135	-	-
597	<b>PDWC 180</b>	180	150	-	-
598	<b>PDWC 200</b>	200	175	-	-



## DOUBLE WALL CORRUGATED (DWC) PIPE FITTINGS

HSN : 39172190

COLOUR : **BLACK** **ORANGE**

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK Pc/Box	RATE (Pc)
<b>COUPLER</b>				
599	<b>PDWC 75C</b>	75	1	-
600	<b>PDWC 90C</b>	90	1	-
601	<b>PDWC 110C</b>	110	1	-
602	<b>PDWC 120C</b>	120	1	-
603	<b>PDWC 160C</b>	160	1	-
604	<b>PDWC 180C</b>	180	1	-
605	<b>PDWC 200C</b>	200	1	-
<b>1- 90° BEND WITH (1-BEND + 2 COUPLER)</b>				
606	<b>PDWC 75B</b>	75	1	-
607	<b>PDWC 90B</b>	90	1	-
608	<b>PDWC 110B</b>	110	1	-
609	<b>PDWC 120B</b>	120	1	-
610	<b>PDWC 160B</b>	160	1	-
611	<b>PDWC 180B</b>	180	1	-
612	<b>PDWC 200B</b>	200	1	-



SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK Pc/Box	RATE (Pc)
<b>1- EQUAL TEE WITH (1-EQUAL TEE + 3 COUPLER)</b>				
613	<b>PDWC 75T</b>	75	1	-
614	<b>PDWC 90T</b>	90	1	-
615	<b>PDWC 110T</b>	110	1	-
616	<b>PDWC 120T</b>	120	1	-
617	<b>PDWC 160T</b>	160	1	-
618	<b>PDWC 180T</b>	180	1	-
619	<b>PDWC 200T</b>	200	1	-
<b>1- 45° Y TEE (1-45° Y TEE + 3 COUPLER)</b>				
620	<b>PDWC 75Y</b>	75	1	-
621	<b>PDWC 90Y</b>	90	1	-
622	<b>PDWC 110Y</b>	110	1	-
623	<b>PDWC 120Y</b>	120	1	-
624	<b>PDWC 160Y</b>	160	1	-
625	<b>PDWC 180Y</b>	180	1	-
626	<b>PDWC 200Y</b>	200	1	-



PRODUCTS IN  
PARTNERSHIP WITH



UK OWNED  
UK MANUFACTURER 

# MARSHALL TUFFLEX

INNOVATIVE IDEAS IN CABLE  
MANAGEMENT

THE LARGEST SELECTION OF CABLE  
MANAGEMENT SOLUTIONS FOR THE  
MODERN ENVIRONMENT

- STERLING PROFILE 1  
- 3 COMPARTMENT



- STERLING CURVE PROFILE 1 -  
3 COMPARTMENT



[www.marshall-tufflex.com](http://www.marshall-tufflex.com)

# Plumbing PIPING SYSTEMS

CPVC Pipes & Fittings  
ASTM (uPVC) Pipes & Fittings  
Sewerage Waste and Rainwater (SWR) Pipes & Fittings  
Agriculture uPVC Pipes & Fittings



## TERMS & CONDITIONS

- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2015



Har Building ki Lifeline  
**PRECISION PIPELINE**

**Precision Plastic Industries Pvt. Ltd.**

19/D, Nand Jyot Industrial Estate,  
Safed Pool, Andheri-Kurla Road,  
Andheri (East), Mumbai 400072, India

Customer Care : +91 77150 00015 | [electrical@precisionpipes.com](mailto:electrical@precisionpipes.com) | [www.precisionpipes.com](http://www.precisionpipes.com)